ISIP application settings for MultiVoice



Tap the account to modify account setting, tap + icon to add new account.

- Choose Accounts from menu at the bottom
- Choose "Add new SIP"



 From the list choose Multivoice as SIP Provider

	Il Saunalahti ᅙ 07:18	100 % 📼		💵 Saunalahti 🗢	07:18	100 % 📟
<	Account Manager SIP Provider	_	<	Account Manager	SIP Provide	r
	Custom SIP Provider			Megaphone		>
	Custom SIP Provider	>		Megatron		>
	Supported SIP Provider			Messagenet		>
(Alldaytalk	>		Morrotel		>
	Annatel	>		MultiVoice		>
	Babytel	>		Mydivert		>
	BBPGlobal	>		Netvoip		>
	Belgacom	>		Neuf		>
			-	Manala		
	Dialer Becents Contacts	Settings		Dialer Becents		Settings

 Write your phone number in Username field (+3586xxxxxx) and password for the MultiVoice account in the password field.



- Press Next
- Press Done
- Press Done

Dialer

Recents

Contacts

Accounts

Settinas

Dialer

Recents



Contacts

Accounts

Settings

Dialer

Recents

Contacts

Accounts



Dialer Recents Contacts Accounts Settings

• Press the number written in green

- Choose Country ja select Finland
- Choose Sip Transport and select TCP

📶 Saunalahti ᅙ 07:21	100 % 📟	💵 Saunalahti 🗢 07:32 10	0 % 📼
Cancel SIP Accounts	Next	Cancel SIP Accounts	Next
Display Name +35867201004		Display Name +35867201004	
Domain multi.fi		Domain multi.fi	
Username +35867201004		Username +35867201004	
Password ••••		Password ••••••	
Country United States	>	Country Finland	>
Advance	>	Advance	>
SIP Transport UDP	>	SIP Transport TCP	>
Ringtone Classic	>	Ringtone Classic	>
Dialar Bacante Contacte	Settinge	Dialer Becents Contacts	Settings

Choose Advance

Change "Auth Username" format from +3586xxxxxx to 06xxxxxx Click on "SIP Accounts" from upper left corner

	Saunalahti		100 % 🚍	💵 Saunalahti 奈 🛛 ()7:32 100 % 📼
	Cancel	SIP Accounts	Next	SIP Accounts Adv	anced Setting
	Display Name	+35867201004		Auth Username	067201004
	Domain	multi.fi		Proxy Server	sip.multi.fi
	Username	+35867201004		Registration Timeout	1800
	Password	•••••		Voicemail Number	Voicemail Number
	Country	Finland	>	Phone Number	Phone Number
	Advance		>	Enable NAT Detect	0
	SIP Transport	t TCP	>	Prefix	Prefix
	Ringtone	Classic	>	Prefix '+'	00 >
	Dialer Rece	ents Contacts Account	ts Settings	Dialer Recents C	ontacts Accounts Settings

Choose Next Choose Next Choose Done



Click on Settings icon on the right side of the bottom menu

Choose SIP Settings Disable VAD

Saunalahti 奈 09:33 92 Settings	: % 🗩	Settings	09:33 92 % 📼 Settings	Settings	09:33 92 % 🛋 Settings	
App Settings	>	SIP Protocol C	onfiguration	SIP Protocol Configuration		
SIP Settings	>	Outbound proxy	Outbound proxy	Outbound proxy	Outbound proxy	
Help	>	Local Port	Local Port	Local Port	Local Port	
About ISIP	>	RTP Port	4000	RTP Port	4000	
		CODEC	Auto >	CODEC	Auto >	
		VAD		VAD	$\bigcirc \bigcirc$	
		RFC3605 Support	0	RFC3605 Support	0	
		Disable Sleep	0	Disable Sleep	0	
Dialer Recents Contacts Accounts St	ttings_	Dialer Recents	Contacts Accounts Settings	Dialer Recents	Contacts Accounts Settings	

Now MultiVoice should be ready for use.